









Elegant and above all practical, Source is a small oasis on the work table with all the necessary sockets for a work place. At the same time it uses minimum space on the work surface. Largest number of sockets on smallest surface also perfectly serves the needs of students in schools and universities. It is available in black and white colour and thanks to the stainless steel finish and the possibility to add a cover lid which opens to 181 degrees, the Source fits stylish into the kitchen environment as well. Source is a unique and easily recognizable product.







POWER CHARACTERISTICS:

Voltage: 250V Amperage: 16A

Power connector: Cable HO5VV - F, 3x1,5mm²

EPN 1104/EPN 1114 (Wieland m/f) -250mm

Frequency: 50-60Hz Temperature: 0 - 40°C

Relative Humidity: 0 - 95°C (no condensing)

Protection: IP 31

MOUNTING

It is easily mounted in a fi80mm opening with an integrated tightening mechanism and using only a PH screw driver. Can accommodate desk thicknesses from 12 to 48mm.

DIMENSION:

85 x 85 mm

COLOR

Black White



Power outlet (Schuko) 45x45



Power outlet (IT)



Power outlet (UK) 45x45



USB charger 4A 2-ports



Power outlet (CH) 45x45



Power outlet (USA) 45x45



Power outlet (DK) 45x45



Power outlet Universal 45x45



Power outlet (FR) 45x45



RJ45 Cat6




HDMI



USB 3.0





Product code	Plastic parts color	Configuration	P	USB charger	USB 3.0	RJ45	НДМІ	Installation opening dimimensions (mm)
	W	1P1USBC2RJ	1	1		2		Ø80
	В							
	W	1P1USBC2USB	1	1	2			Ø80
	В							
	W	1P1USBC22HDMI	1	1			2	Ø80
	В	IF IUSBUZZHVIVII						
	W	1P1USBC1HDMI1RJ	1	1		1	1	Ø80
	В							
	W	1P1USBC1USB1HDMI	1	1	1		1	Ø80
	В	IN 102BC 102B IUDIMI			•		ı	980
	w	1P1USBC21USB1RJ	1	1	1	1		Ø80
	В							
	W	1P2RJ	1			2		Ø80
	В							980
	W	1P2USB	1		2			Ø80
	В	IP2USB			2			Ø8U
	W B W B	1P2HDMI	1					
							2	Ø80
		1P1HDMI1RJ	1					
						1	1	Ø80
	W	1P1USB1RJ	1		1	1		Ø80
	В							
	w	1P1USB1HDMI	1					
	В				1		1	Ø80
	w							
	В	1P1USBC2	1	1				Ø80