



## UNIKA

Domus Line  
design

### LED luminaire for under-cabinet lighting

#### Materials:

thermoplastic polymers, polycarbonate

#### Finishes:

steel, black touch

#### Light source:

SMD LED module

#### Wiring:

2000mm

#### Application type:



under cabinet, under shelf

#### Installation:



surface

Patented

**UNIKA** is a luminaire with a perimeter light source integrated into a holder inclined at 15°, installed under the kitchen wall unit close to the wall. **UNIKA** can be configured with a Touch Dimmer switch to switch the luminaire on and off and dimming the brightness or with Schuko, Franco-Belgian and twin USB sockets. Available with painted steel and black touch finishes.



<b>Colour appearance</b>	natural white
<b>Colour temperature</b>	3900 K
<b>Luminous flux</b>	405 lm
<b>Luminous efficiency</b>	90 lm/W
<b>CRI</b>	Ra 83



<b>Colour appearance</b>	super warm white
<b>Colour temperature</b>	2700 K
<b>Luminous flux</b>	370 lm
<b>Luminous efficiency</b>	82 lm/W
<b>CRI</b>	Ra 82




### UNIKA

without switch



Code	Watt & Volt	CCT	Finish
F0260000003	4,5W @ 24Vdc	3900K	steel
F0260000015	4,5W @ 24Vdc	3900K	black touch
F0260000019	4,5W @ 24Vdc	2700K	steel
F0260000023	4,5W @ 24Vdc	2700K	black touch

LED CONVERTER NOT INCLUDED. TO BE ORDERED SEPARATELY.





### UNIKA TDM

with touch dimmer master switch



Code	Watt & Volt	CCT	Finish
F0260000004	4,5W @ 24Vdc	3900K	steel
F0260000016	4,5W @ 24Vdc	3900K	black touch
F0260000020	4,5W @ 24Vdc	2700K	steel
F0260000024	4,5W @ 24Vdc	2700K	black touch

LED CONVERTER NOT INCLUDED. TO BE ORDERED SEPARATELY.



**UNIKA TDM** integrates a touch electronic switch which switches on and off and dims the brightness of each single luminaire and of all the luminaires connected to it.



SETS OF 2, 3, 4, 5 **UNIKA** AND POWER SUPPLY ARE AVAILABLE ON REQUEST.

## FINISHES



STEEL



BLACK TOUCH

Discover the whole range of Domus Line accessories at [domusline.com/accessories/](http://domusline.com/accessories/)




**UNIKA SCK**

with schuko socket




Code	Watt & Volt	CCT	Finish
F0260000005	4,5W @ 24Vdc	3900K	steel
F0260000017	4,5W @ 24Vdc	3900K	black touch
F0260000021	4,5W @ 24Vdc	2700K	steel
F0260000025	4,5W @ 24Vdc	2700K	black touch

**LED CONVERTER NOT INCLUDED. TO BE ORDERED SEPARATELY.**

24Vdc




230V

**UNIKA FB**

with Franco-Belgian socket




Code	Watt & Volt	CCT	Finish
F0260000006	4,5W @ 24Vdc	3900K	steel
F0260000018	4,5W @ 24Vdc	3900K	black touch
F0260000022	4,5W @ 24Vdc	2700K	steel
F0260000026	4,5W @ 24Vdc	2700K	black touch

**LED CONVERTER NOT INCLUDED. TO BE ORDERED SEPARATELY.**

24Vdc




230V

**UNIKA USB**

with double USB socket



Code	Watt & Volt	CCT	Finish
F0260000036	4,5W (max 24,5W)* @ 24Vdc	3900K	steel
F0260000035	4,5W (max 24,5W)* @ 24Vdc	3900K	black touch
F0260000037	4,5W (max 24,5W)* @ 24Vdc	2700K	steel
F0260000038	4,5W (max 24,5W)* @ 24Vdc	2700K	black touch

**LED CONVERTER NOT INCLUDED. TO BE ORDERED SEPARATELY.**

24Vdc



\* The UNIKA USB light source has 4.5W power consumption, while the maximum load connectable to the USB sockets shall not exceed 20W. Use power supplies with maximum load suited to the total power consumption to feed this luminaire.

